

GAS FIRED

SERIES

There's still no substitute for quality

The newly expanded

GAS FIRED SERIES

- its economical and dependable performance helps
SAVE THE DAY.



Natural Gas



Pressure



Washer

FLORIDA WATER BLAST, INC.

12995 Automobile Blvd. Clearwater, FL 33762
Clearwater, FL 33762 - 1-800-966-0614 -

www.floridawaterblast.net

FLORIDA WATER BLAST, INC.

12995 Automobile Blvd. Clearwater, FL 33762
 Clearwater, FL 33762 - 1-800-966-0614

www.floridawaterblast.net

Natural Gas Pressure Washer

Standard Features

| Model | 2016 ENG | 3020 ENG | 3024 ENG | 4018 ENG | 4030 ENG | 5018 ENG |
|------------------------|------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| Product | W2161B-000000 | W3211B-000000 | W3241B-000000 | W4181B-000000 | W4301B-000000 | W5181B-000000 |
| Style | Cabinet Style | Cabinet Style | Cabinet Style | Cabinet Style | Cabinet Style | Cabinet Style |
| Capacity | 2.1 GPM | 3.0 GPM | 3.0 GPM | 4.0 GPM | 4.0 GPM | 4.8 GPM |
| Pressure | 1600 PSI | 2000 PSI | 2400 PSI | 1800 PSI | 3000 PSI | 1800 PSI |
| Motor | 2.3HP/115V 3450 RPM | 4HP/230V 1 PH/3450 RPM | 5HP/230V 1 PH/3600 RPM | 5HP/230V 1 PH/3450 RPM | 8HP/230V 1 PH/3450 RPM | 6HP/230V 1 PH/3450 RPM |
| Pump | Triplex Oil Bath | Triplex Oil Bath | Triplex Oil Bath | Triplex Oil Bath | Triplex Oil Bath | Triplex Oil Bath |
| Pump Drive | Belt | Belt | Belt | Belt | Belt | Belt |
| Total Amp Draw | 20 | 18 | 22 | 22 | 36 | 26 |
| Temp. Control | High Limit Switch | High Limit Switch | High Limit Switch | Adj. Temp Control | Adj. Temp Control | Adj. Temp Control |
| Ship Dimensions | 60"X28"X57" | 60"X28"X57" | 60"X28"X57" | 60"X28"X57" | 60"X28"X57" | 60"X28"X57" |
| Shipping Weight | 630 lbs. | 630 lbs. | 630 lbs. | 760 lbs. | 760 lbs. | 800 lbs. |

| Model | 5030 ENG | 5050 ENG | 6020 ENG | 7015 ENG | 7030 ENG | 8035 ENG |
|----------------------|----------------------------|----------------------------|---------------------------|---------------------------|----------------------------|----------------------------|
| Product | W5301B-000000 | W5501A-000000 | W6201-000000 | W7151-000000 | W7301-000000 | W8351-000000 |
| Style | Cabinet Style | Cabinet Style | Cabinet Style | Cabinet Style | Cabinet Style | Cabinet Style |
| Capacity | 5.0 GPM | 5.0 GPM | 6.0 GPM | 7.0 GPM | 7.0 GPM | 8.0 GPM |
| Pressure | 3000 PSI | 5000 PSI | 2000 PSI | 1500 PSI | 3000 PSI | 3500 PSI |
| Motor | 10HP/230V 3 PH/1725 RPM | 20HP/230V 3 PH/1725 RPM | 8HP/230V 3 PH/3450 RPM | 8HP/230V 3 PH/3450 RPM | 15HP/230V 3 PH/1725 RPM | 20HP/230V 3 PH/1725 RPM |
| Pump | Triplex Oil Bath | Triplex Oil Bath | Triplex Oil Bath | Triplex Oil Bath | Triplex Oil Bath | Triplex Oil Bath |
| Pump Drive | Belt | Belt | Belt | Belt | Belt | Belt |
| Amp Draw | 29 | 51 | 21 | 21 | 41 | 51 |
| Temp. Control | Adj. Temp Control | Adj. Temp Control | Modulating Thermostat | Modulating Thermostat | Adj. Temp Control | Adj. Temp Control |
| Ship Dims. | 60"X28"X57" | 60"X28"X57" | 87"X42"X72" | 87"X42"X72" | 87"X42"X72" | 87"X42"X72" |
| Shipping Wt. | 860 lbs. | 960 lbs. | 1010 lbs. | 1010 lbs. | 1010 lbs. | 1385 lbs. |

| Model | 1020 ENG | 1030 ENG | 308/4000 ENG | 410/4000 ENG | 4530 ENG Steamer |
|------------------------|----------------------------|----------------------------|------------------------|---------------------------|------------------------|
| Product | W10201-000000 | W10301-000000 | W308-000000 | W410-000000 | W4530-000000 |
| Style | Cabinet Style | Cabinet Style | Table Style | Table Style | Steamers |
| Capacity | 10.0 GPM | 10.0 GPM | 3.0 GPM | 4.0 GPM | 4.2 GPM |
| Pressure | 2000 PSI | 3000 PSI | 1000 PSI | 1000 PSI | 300 PSI |
| Motor | 15HP/230V 3 PH/1725 RPM | 20HP/230V 3 PH/1725 RPM | 2.3HP/115V 3450 RPM | 4HP/230V 1 PH/3450 RPM | 2.3HP/115V 3450 RPM |
| Pump | Triplex Oil Bath | Triplex Oil Bath | Triplex Oil Bath | Triplex Oil Bath | Triplex Oil Bath |
| Pump Drive | Belt | Belt | Belt | Belt | Belt |
| Total Amp Draw | 41 | 51 | 20 | 18 | 20 |
| Temp. Control | Modulating Thermostat | Modulating Thermostat | High Limit Switch | High Limit Switch | Modulating Thermostat |
| Ship Dimensions | 87"X42"X72" | 87"X42"X72" | 60"X36"X54" | 60"X36"X54" | 87"X42"X72" |
| Shipping Weight | 1660 lbs. | 1660 lbs. | 590 lbs. | 625 lbs. | 880 lbs. |

GAS FIRED

SERIES

Fight the dirty forces of grease, mud and grime with the all new Gas Fired Series. Able to operate on natural or liquid propane gas, these superhero hot water pressure washers are dynamically dependable and economical.

4030 ENG

Standard Features

- Stainless Steel Float Tank with Cover
- Belt Driven Pumping System
- Trigger Gun Control
- Plunger Pump with Oil Bath Crankcase
- Protective Cabinet with Control Panel

Optional Features

- Modulating Thermostat
- Remote Control
- Steam Combination
- Electronic Ignition
- Partial/Fully Dressed Stainless Steel
- Portable Wheel Kit
- Hour Meter



The Gas Fired Series
IN ACTION!
Perfect for polishing up
trucks and tractors





4530 ENG

Standard Features

- Stainless Steel Float Tank with Cover
- Belt Driven Pumping System
- Open Gun Control
- Plunger Pump with Oil Bath Crankcase

Optional Features

- Modulation Thermostat
- Remote Control
- Electronic Ignition
- Partial/Fully Dressed Stainless Steel
- Portable Wheel Kit
- Steam Combination
- Hour Meter

410/4000 ENG

Standard Features

- Stainless Steel Float Tank with Cover
- Belt Driven Pumping System
- TriggerGun Control
- Plunger Pump with Oil Bath Crankcase
- Protective Cabinet W/Control Panel

Optional Features

- Adjustable Thermostat
- Remote Control
- Steam Combination
- Partial/Fully Dressed Stainless Steel
- Portable Wheel Kit



Modulating Thermostat

An optional modulating thermostat continuously monitors water temperature and automatically adjusts the burn rate to maximize operational efficiency

